

275

BULLETIN

OF THE

ILLINOIS STATE LABORATORY

OF

NATURAL HISTORY,

URBANA, ILLINOIS.

VOLUME V.

*ARTICLE VII.—FIRST SUPPLEMENT TO THE CHECK-LIST
OF THE COCCIDE.*

BY T. D. A. COCKERELL.

Illinois State Laboratory of Natural History,
URBANA, ILLINOIS.
January, 1899.



STATE LABORATORY OF NATURAL HISTORY.

LABORATORY STAFF.

Professor STEPHEN ALFRED FORBES, PH. D.,
Director of State Laboratory and State Entomologist.

CHARLES ARTHUR HART,
Systematic Entomologist and Curator of Collections.

FRANK SMITH, A. M.,
Assistant Zoölogist.

CHARLES ATWOOD KOFOID, PH. D.,
Zoölogist, and Superintendent of Biological Station.

ERNEST BROWNING FORBES, B. S.,
Entomological Assistant.

WALLACE CRAIG, B. S.,
Zoölogical Assistant.

MARY JANE SNYDER,
Secretary.

HENRY CLINTON FORBES,
Business Agent and Librarian.

LYDIA MOORE HART,
Artist.

ERRATA.

Page 136, line 2, and page 182, line 17 from bottom, for '95a read '95.

Page 226, line 2, page 263, line 17 from bottom, and page 267, lines 2 and 15, for '98, read '96.

Page 233, line 15 from bottom, for '82 read '82a.

Page 355, line 2 from bottom, for C. F. Hudson read C. T. Hudson.

Page 389, foot-note, for Vol. V. read Vol. IV.

Page 457, line 5, for *Genera* read *Genus*.

ARTICLE VII.—*First Supplement to the Check-List of the Coccoidea.* By T. D. A. COCKERELL, New Mexico Agricultural Experiment Station.

Since the publication of the Check-List* in 1896 no less than three hundred and twenty-two species have been added. A few of these are old species which had been accidentally omitted or improperly reduced to synonyms, but the number of actually new species is very great, and bears witness to the activity of coccidologists. Forty species, given as valid in the Check-List, are here reduced to varieties or synonyms.

As before, I have included a number of names of species (mostly by Green) which I know to be either in press or awaiting very early publication.

The group *Idiococcinae* has been abandoned and merged into *Coccinae*. The *Coccinae* could very well be divided into two subfamilies and perhaps four tribes, as follows:

- (A.) *Coccinae*. Newly hatched larva with rows of dorsal spines, and the last antennal joint usually short.
- (1.) *Coccini*. Anal ring hairless. (*Coccus*, etc.)
 - (2.) *Eriococcini*. Anal ring hairy, hairs normally 8. (*Eriococcus*, etc.)
- (B.) *Dactylopiinae*. Newly hatched larva without dorsal spines, last antennal joint usually long.
- (1.) *Sphaerococcini*. Anal ring hairless. (*Sphaerococcus*.)
 - (2.) *Dactylopiini*. Anal ring hairy, hairs normally 6. (*Dactylopis*, etc.)

Species which were in the original list, here repeated to indicate varieties, synonyms, etc., have the original numbers.

Since the Check-List was written, the following new writers have described and named *Coccoidea*. To facilitate correspondence I give their addresses:

Bogue, E. E., Stillwater, Oklahoma.

Cooley, R. A., Agricultural College, Amherst, Mass.

*Article XI., Vol. V., of this series.

Charmoy, D. d'Emmerez de, Port Louis, Mauritius.
 Ehrhorn, E. M., Mountain View, Sta. Clara Co., Cal.
 Fuller, Claude, Department of Agriculture, Cape Town,
 S. Africa.
 Hunter, S. J., Lawrence, Kansas.
 Ihering, H. von, S. Paulo, Brazil.
 King, G. B., Lawrence, Mass.
 Leonardi, G., Portici, Italy.
 Lidgett, J., Myrmong, Victoria, Australia.
 Newell, W., Ames, Iowa.
 Pergande, Theo., Dept. Agriculture, Washington, D. C.
 Tinsley, J. D., Mesilla Park, New Mexico.
 I may also permit myself to mention that my own address
 is now Mesilla Park, New Mexico. (Not Mesilla, nor Las
 Cruces.)

COCCIDÆ.

Monophlebinæ.

Callipappus, Guér.⁽¹⁾

798. farinosus, Full.

799. bufo, Full.

Protortonia, Towns.⁽²⁾

800. mexicanorum, Ckll.

801. primitiva, Towns.

Icerya, Sign.

39. purchasi, Mask.

 v. maskelli, Ckll.

 v. rawii, Ckll.

42. seychellarum, Westw.

 v. albolutea, Ckll.

802. formicarum, Newst.

s. g. *Proticeruya*, Ckll.

803. littoralis, Ckll.

 v. mimosæ, Ckll.

Crypticeruya, Ckll.

804. nudata, Mask.

805. ewarti, Newst.

806. hempeli, Ckll.

807. townsendi, Ckll.

 v. plucheæ, Ckll.

Margarodinæ.

Margarodes, Guild.

57. formicarum, Guild.

 v. rileyi, Giard.

808. trimeni, Giard.

s. g. *Spheraspis*, Giard.

809. capensis, Giard.

Ortheziinae.

Orthezia, Bosc.

810. delavauxi, Thieb.

811. artemisiæ, Ckll.

812. cheilanthi, Tinsl.

813. graminis, Tinsl.

814. monticola, Ckll.

815. garryæ, Ckll.

Ortheziola, Sule.

816. signoreti, Haller.

817. fodiens, Giard.

(1.) Mr. Fuller states that *Cyelostoma eustrade*, *immane* and *rubiginosum*, of Maskell, belong to *Callipappus*.

(2.) The name *Ortonia* is preoccupied.

Coccoineæ.*Coccus*, L. (3.)

818. *opuntiae*, *Licht. MS.*, *Ckll.*
 ? *s. of tomentosus*, *Lam.*
 v. *newsteadi*, *Ckll.*
819. *acaciae*, *Mask.*

Eriococcus, Targ.

820. *formicicola*, *Newst.*
 821. *thymelaeæ*, *Newst.*
 822. *devoniensis*, *Green.*
 823. *greeni*, *Newst.*
 824. *gilletti*, *Tinst.*
 825. *arenosus*, *Ckll.*
 826. *tinusleyi*, *Ckll.*
 827. *adenostomæ*, *Ehrh.*
 828. *spiniger*, *Mask.*
 829. *simplex*, *Mask.*
 v. *dealbata*, *Mask.*

84. *paradoxus*, *Mask.*
 v. *simplex*, *Mask.*
 v. *indica*, *Mask.*

830. *exiguus*, *Mask.*
 831. *graminis*, *Mask.*
 832. *elegans*, *Full.*
 833. *apiomorphæ*, *Full.*
 834. *hakeæ*, *Full.*
 835. *imperfectus*, *Full.*
 836. *tricarinatus*, *Full.*
 837. *agonis*, *Full.*
 838. *cypreæformis*, *Full.*

Olliffia, *Full.*

839. *eucalypti*, *Full.*

Rhizococcus, Sign.

840. *tripartitus*, *Full.*
 100. *casuarinæ*, *Mask.*
 v. *mancus*, *Mask.*

Lachnodius, *Mask.*

203. *eucalypti*, *Mask.*
 841. *lectularius*, *Mask.*
 842. *hirtus*, *Mask.*

Dactylopius, Costa.

843. *syringæ*, *Mask.*

844. *edgeworthiae*, *Ckll.*
 845. *hirsutus*, *Newst.*
 846. *prosopidis*, *Ckll.*
 847. *gutierreziae*, *Ckll.*
 848. *dasylirii*, *Ckll.*
 175. *sorghielius*, *Forbes.*
 v. *kingii*, *Ckll.*
 v. *neomexicanus*, *Tinst.*
 849. *lichtenisoides*, *Ckll.*
 850. *pseudonipa*, *Ckll.*
 851. *claviger*, *King & Tinst.*
 852. *quaintancii*, *Tinst.*
 853. *azaleæ*, *Tinst.*
 854. *cockerelli*, *King & Tinst.*
 855. *bambusæ*, *Green.*
 856. *rimulae*, *Green.*
 857. *lanigerus*, *Full.*
 858. *macrozamiae*, *Full.*
 859. *similans*, *Lidgett.*
 194. *graminis*, *Mask.*
 v. *orientalis*, *Mask.*
 205. *calceolariae*, *Mask.*
 v. *minor*, *Mask.*
 177. *virgatus*, *Ckll.*
 s. *ceriferus*, *Newst.*
 s. *talini*, *Green.*

Phenacoccus, *Ckll.*

860. *comari*, *Kunow.*
 861. *solenopsis*, *Tinst.*
 862. *americanæ*, *King & Ckll.*
 140. *helianthi*, *Ckll.*
 v. *gossypii*, *Towns. & Ckll.*
 1121. *minimus*, *Tinst.*

Ripertia, Sign.

863. *europaea*, *Newst.*
 864. *tumida*, *Newst.*
 865. *filicicola*, *Newst.*
 866. *montana*, *Newst.*
 867. *kingii*, *Ckll.*
 868. *lasii*, *Ckll.*
 869. *flaveola*, *Ckll.*
 870. *blanchardii*, *King & Ckll.*
 871. *cuneiformis*, *Green.*
 872. *myrmecophila*, *Mask.*

(3.) Mr. E. E. Green informs me that *Coccus luniger*, W. F. Kirby., is *Walkerianæ floriger*.

1122. minima, *Tinsl. and King.*
 873. villosa, *Ehrh.*
 s. g. *Apterococcus*, *Newst.*
 121. fraxini, *Newst.*
 s. g. *Cryptoripersia*, *Ckll.*
 874. arizonensis, *Ehrh.*
 s. g. *Pseudoripersia*, *Ckll.*^(4.)
 89. turgipes, *Mask.*
- Tylococcus*, *Newst.*
 875. madagascariensis, *Newst.*
- Ceroputo*, *Sule.*
 876. pilosellæ, *Sule.*
- Rhizococcus*, *Künck.*
 877. eloti, *Giard.*
- Solenococcus*, *Ckll.*^(5.)
 878. koebelia, *Ckll.*
 879. ornatus, *Green.*
 880. coloradensis, *Ckll.*
- Cerococcus*, *Comst.*
 881. corticis, *Towns. & Ckll.*
- Porococcus*, *Ckll.*
 882. tinctorius, *Ckll.*
 883. pergandei, *Ckll.*
- Carpochloroides*, *Ckll.*
 884. viridis, *Ckll.*
- Capulinia*, *Sign.*
 885. jaboticabæ, *von Iher.*
- Mallococcus*, *Mask.*
 (Mallophora, *Mask.*, preocc.)
 886. sineusis, *Mask.*
- Ourococcus*, *Full.*
 887. cobbii, *Full.*
 888. eucalypti, *Full.*
 889. casuarinæ, *Full.*
- Kermicus*, *Newst.*
 890. wroughtoni, *Newst.*
 s. g. *Chatococcus*, *Mask.*^(6.)
 318. bambusæ, *Mask.*
 891. graminis, *Mask.*
- Sphaerococcus*, *Mask.*
 892. rugosus, *Mask.*
 v. elongatus, *Mask.*
 893. pulchellus, *Mask.*
 894. socialis, *Mask.*
 319. acaciæ, *Mask.*
 v. melaleucae, *Full.*
 895. leaii, *Full.*
 896. tepperi, *Full.*
 897. ethelæ, *Full.*
 898. morrisoni, *Full.*
 899. obscuratus, *Mask.*
 323. inflatipes, *Mask.*
 v. simplicior, *Mask.*
 900. populi, *Mask.*
 901. parvus, *Mask.*
 1120. sylvestris, *Ckll. & King.*
- Olliella*, *Ckll.*
 902. cristicola, *Ckll.*
- Cylindrococcus*, *Mask.*
 903. gracilis, *Full.*
 331. amplior, *Mask.*
 s. *Crocidocysta froggatti*,
Riibs.
- Asterolecaniinae.**
- Lecaniodiaspis*, *Targ.*
 904. tessellatus, *Ckll.*
 905. artemisiæ, *Ckll.*
 906. mimosæ, *Mask.*
 907. radiatus, *Ckll.*
 908. manihotis, *Towns.*
 909. atherospermæ, *Mask.*
 910. melaleucae, *Full.*

(4.) New subgenus. Well distinguished by the very peculiar legs, as figured by Maskell, Trans. N. Z. Inst., Vol. XXV.

(5.) New name for *Solenophora*, preoccupied. A *Solenophora* (?) *dryandreae* was published without description by Fuller; the author now wishes to withdraw it.

(6.) *Chatococcus* has only 8 (sometimes 6?) hairs on the anal ring; *Kermicus* proper has 17. Otherwise they hardly differ. The larva is *Dactylopiline*.

Asterolecanium, Targ.

912. *algeriense*, Newst.
 913. *ilicis*, Newst.
 914. *petrophilæ*, Full.
 915. *hakeæ*, Full.
 254. *bryoides*, Mask.
 v. stellata, Mask.
 255. *bambusæ*, Boisd.
 v. bambusulae, Ckll.

*Tachardiinæ.**Tachardia*, Blanch.

916. *nigra*, Towns. & Ckll.
 917. *fulvoradiata*, Ckll.

*Brachyscelinæ.**Apiomorpha*, Rübs.^(7.)

918. *helmsii*, Full.
 919. *maliformis*, Full.
 920. *encurbita*, Full.
 300. *karschi*, Rübs.
 v. fletcheri, Full.
 292. *thorntoni*, Frog.
 v. nux, Full.
 283. *conica*, Frog.
 s. regularis, Tepp.
 s. similis, Rübs.
 275. *munita*, Schrad.
 s. cornifex, Rübs.
 r. tricornis, Frog.
 297. *strombylosa*, Tepp.
 s. crispa, Full.
 294. *urnalis*, Tepp.
 v. schraderi, Full.
 921. *excupula*, Full.

Ascelis, Schrad.

922. *melaleucæ*, Full.

Opisthoscelis, Schrad.

923. *conica*, Full.

Cystococcus, Full.

924. *echiniformis*, Full.

*Lecaniinæ.**Kermes*, Annett.

925. *austini*, Ehrh.
 926. *pettiti*, Ehrh.
 927. *ceriferus*, Ehrh.
 928. *kinglii*, Ckll.
 929. *nivalis*, King & Ckll.
 930. *pubescens*, Bouye.
 931. *boguei*, Ckll.
 932. *cockerelli*, Ehrh.
 933. *nigropunctatus*, Ehrh. & Ckll.
 934. *concinnulus*, Ckll.
 935. *grandis*, Ckll.

Aclerda, Sign.

936. *distorta*, Green.
 1123. *berlesii*, Buffa.

Lecanopsis, Targ.

937. *lineolatæ*, King & Ckll.

Lecanium, Illig.

938. *ceratoniae*, Genn.
 ? s. of *hesperidum*, L.
 939. *perlatum*, Ckll.
 446. *hesperidum*, Linn.
 s. patelliformis, Curt.^(8.)
 v. alienum, Dougl.^(9.)
 447. *minimum*, Newst.
 v. pinicola, Mask.
 449. *tessellatum*, Sign.
 v. swainsonae, Ckll.
 v. perforatum, Newst.^(450.)
 940. *flaveolum*, Ckll.
 941. *ventrale*, Ehrh.
 942. *impar*, Ckll.
 943. *rhizophora*, Ckll.
 944. *chilaspidis*, Ckll.
 945. *erythrinae*, von Thér.
 946. *perconvexum*, Ckll.
 947. *tuberculatum*, Towns. & Ckll.
 948. *townsendi*, Ckll.
 486. *serobiolumatum*, Mask.

(7.) The changes in the synonymy are made on the authority of Mr. Fuller.

(8.) So given on Mr. Newstead's authority.

(9.) So given on Mr. Green's authority.

- v. leve*, *Mask.*
v. pingue, *Mask.* (485.)
 949. *strachani*, *Ckll.*
 950. *castilloae*, *Ckll.*
 469. *viride*, *Green.*
v. africanum, *Newst.*
 951. *ficus*, *Mask.*
 952. *globulosum*, *Mask.*
 953. *notatum*, *Mask.*
 954. *mirificum*, *Mask.*
 955. *macrozamiae*, *Full.*⁽¹⁰⁾
 956. *melaleucæ*, *Mask.*
 957. *casuarinæ*, *Mask.*
 487. *baccatum*, *Mask.*
v. marmoreum, *Full.*
 958. *tubuliferum*, *Ckll.*
 959. *turgidum*, *Ckll.*
 960. *parvicorne*, *Ckll.*
 s. g. *Pseudokermes*, *Ckll.*
 961. *armatum*, *Ckll.*
 s. g. *Eulecanium*, *Ckll.*
 528. *quercitronis*, *Fitch.*
s. kerinoïdes, *Tyrrell.*
 498. *berberidis*, *Schr.*
v. major, *Mask.*
 962. *nigrofasciatum*, *Pergande.*
 963. *magnoliarum*, *Ckll.*
 964. *pubescens*, *Ehrh.*
 965. *crawii*, *Ehrh.*
 966. *kingii*, *Ckll.*
 967. *maclurarium*, *Ckll.*
 968. *caryarum*, *Ckll.*
 969. *perditum*, *Ckll.*
 970. *subaustrale*, *Ckll.*
- Ceroplastes*, *Gray.*
409. *irregularis*, *Ckll.*
v. rubidus, *Ckll.*
 426. *rubens*, *Mask.*
v. minor, *Mask.*
 407. *rusei*, *Linn.*
s. caricæ, *Fonsc.*
s. testudineus, *Costa.*
- s. testudinata*, *Targ.*
 971. *nerii*, *Newst.*
 972. *angulatus*, *Ckll.*
 973. *coloratus*, *Ckll.*
 974. *minutus*, *Ckll.*
 975. *roseatus*, *Towns. & Ckll.*
 976. *confluens*, *Ckll. & Tinsl.*
 977. *personatus*, *Newst.*
- Inglisia*, *Mask.*
978. *fossilis*, *Mask.*
 400. *foraminifer*, *Mask.*
v. loranthi, *Full.*
 979. *malvacearum*, *Ckll.*
- Platinglisia*, *Ckll.*
980. *noacki*, *Ckll.*
- Ctenochiton*, *Mask.*
981. *aztecus*, *Towns. & Ckll.*
 982. *nuytisiæ*, *Full.*⁽¹¹⁾
- Ceronema*, *Mask.*
983. *dryandræ*, *Full.*
 984. *japonicum*, *Mask.*
- Pulvinaria*, *Targ.*
985. *salicis*, *Bouché.*
 361. *bigeloviae*, *Ckll.*
v. marmorata, *Ckll.*
 986. *amygdali*, *Ckll.*
 987. *acericola*, *Walsh & Riley.*
 359. *innumerabilis*, *Rathv.*
s. acericorticis, *Fitch.*
v. occidentalis, *Ckll.*
v. tiliæ, *King & Ckll.*
 988. *rhois*, *Ehrh.*
 989. *cellulosa*, *Green.*
 990. *thompsoni*, *Mask.*
 372. *maskelli*, *Olliff.*
v. viminariæ, *Full.*
v. nuytisiæ, *Full.*
 991. *floccifera*, *Westw.*

(10.) Mr. Fuller tells me this is probably a variety of *L. frenchii*.

(11.) Mr. Fuller no longer considers this valid.

s. g. *Philepheidra*, Ckll.

992. *ephedrae*, Ckll.

s. g. *Protopulvinaria*, Ckll.

378. *pyriformis*, Ckll.

s. *newsteadi*, Leon.

Lichtensis, Sign.

993. *mimosae*, Towns. and Ckll.

994. *crescentiae*, Ckll.

995. *hakearum*, Full.⁽¹²⁾

Pseudophilippia, Ckll.

996. *quaintancei*, Ckll.

Conchaspinae.

Conchaspis, Ckll.

997. *socialis*, Green.

998. *newsteadi*, Ckll.

Diaspinæ.

Aspidiotus, Bouché.

548. *hederae*, Vall⁽¹³⁾

? s. *capparis*, Vall.

s. *nerii*, Bouché.

s. *affinis*, Targ.

s. *ceratoniae*, Sign.

s. *ericæ*, Boisd.

s. *denticulatus*, Targ.

s. *genistæ*, Westw.

s. *gnidii*, Sign.

s. *corinocarpi*, Colvæ.

s. *ilicis*, Sign.

s. *lentisci*, Sign.

s. *oleæ*, Colvæ.

s. *villosus*, Targ.

s. *aloës*, Boisd.

s. *budleiae*, Sign.

s. *cycadicola*, Boisd.

s. *epidendri*, Bouché.

s. *myrsinae*, Sign.

s. *obliquus*, Costa.

s. *bouchei*, Targ.

s. *palmarum*, Bouché.

s. *vriesiae*, Sign.

s. *carpodeti*, Mask.

999. *transparens*, Green.

v. *simillimus*, Ckll.

1000. *persearum*, Ckll.

1001. *britannicus*, Newst.

1002. *fraxini*, "Altum," Henry.

1003. *maculatus*, Newst.

1004. *excisus*, Green.

1005. *pntearius*, Green.

1006. *moorei*, Green.

1007. *artocarpi*, Green.

1008. *bilobis*, Mask.

1009. *implicatus*, Mask.

1010. *virescens*, Mask.

1011. *dryandri*, Full.

1012. *niveus*, Full.

626. *eucalypti*, Mask.

v. *comatus*, Mask.

s. g. *Morganella*, Ckll.

1013. *maskelli*, Ckll.

s. *ornatus*, Mask.

s. g. *Targionia*, Sign.

1014. *bigeloviae*, Ckll.

1015. *dearnessi*, Ckll.

1016. *yuccarum*, Ckll.

s. g. *Odonaspis*, Leon.

(*Spatheaspis*, Leon.)

1017. *inusitatus*, Green.

1018. *bambusarum*, Ckll.

560. *secreta*, Ckll.

v. *lobulatus*, Mask.

1019. *canaliculatus*, Green.

s. g. *Selenaspidus*, Ckll.

603. *articulatus*, Morg.

v. *celastri*, Mask.

s. g. *Phaulaspis*, Leon.

1020. *hakeae*, Mask.

s. g. *Chentruspis*, Leon.

622. *unilobis*, Mask.

s. g. *Aspidiella*, Leon.

612. *sacchari*, Ckll.

(12.) Described as a doubtful *Lecanioidiaspis*. I have specimens from Fuller.

(13.) The synonymy, except the first name, is after Berlese and Leonardi. The names cited as synonyms doubtless represent at least several good varieties. *A. hederae* is the type of subg. *Euvipidiotus*, Leonardi.

- s. g. *Pseudaonidia*, Ckll.
 620. *trilobitiformis*, Green.
 s. *darutyi*, *d'Emmerez de Charmoy*.
- s. g. *Diaspidiotus* (Berl. & Leon.), Ckll.
 579. *perniciosus*, Comst.
 v. *andromelas*, Ckll.
 v. *albopunctatus*, Ckll. (785.)
 ? v. *eucalypti*, Full.^(14.)
1021. *fernaldi*, Ckll.
 v. *albiventer*, Hunter.
1022. *osborni*, Newell & Ckll.
1023. *coniferarum*, Ckll.
 584. *anealus*, Putn.
 v. *serratus*, Newell & Ckll.
587. *aesculi*, W. G. Johns.
 v. *solus*, Hunter.
589. *juglans-regiae*, Comst.
 v. *kafkæ*, Ckll.
1024. *jatrophæ*, Towns. & Ckll.
1025. *subsimilis*, Ckll.
- s. g. *Hemiberlesia*, Ckll.
 (Aspidites, Berl. & Leon.
 preocc.)
568. *rapax*, Comst.
 s. *evonymi*, Targ.
1026. *ulmi*, W. G. Johns.
1027. *tricolor*, Ckll.
 588. *cydoniae*, Comst.
 v. *tectus*, Mask.
1028. *crawii*, Ckll.
1029. *greenii*, Ckll.
1030. *cupressi*, Ckll.
- Chrysomphalus*, Ashm.
1031. *reniformis*, Ckll.
606. *dictyospermi*, Morg.
 v. *mangiferae*, Ckll. (607.)
1032. *longissimus*, Ckll.
1033. *agavii*, Towns. and Ckll.
1034. *koebelei*, Towns. and Ckll.
1035. *albopictus*, Ckll.
- v. *leonis*, Towns. and Ckll.
 1036. *rhizophoræ*, Ckll.
- s. g. *Melanaspis*, Ckll.
 1037. *setiger*, Mask.
 1038. *lilacinus*, Ckll.
 1039. *calurus*, Ckll.
- s. g. *Mycetaspis*, Ckll.
 604. *personatus*, Comst.
- s. g. *Aonidiella*, Berl. & Leon.
 570. *aurantii*, Mask.
- Pseudodiaspis*, Ckll.
 1040. *larreae*, Ckll.
 1041. *dentilobis*, Ckll.
- Comstockiella*, Ckll.
 638. *sabalis*, Comst.
 v. *mexicanus*, Ckll.
- Cryptophyllaspis*, Ckll.
 619. *occultus*, Green.
- Maskellia*, Full.
1042. *globosa*, Full.
- Xerophilaspis*, Ckll.
 1043. *prosopidis*, Ckll.
- Gymnaspis*, Newst.
 1044. *aechmeæ*, Newst.
 1045. *bullata*, Green.
- Greeniella*, Ckll.
 772. *cornigera*, Green.
- Aonidia*, Sign.
1046. *loranthi*, Green.
 1047. *obscura*, Green.
 1048. *messuæ*, Green.
 1049. *ebeni*, Green.
 1050. *planchonioides*, Green.
 1051. *elaeagnûs*, Mask.
 1052. *banksiae*, Full.
 1053. *distinctissima*, Newst.

(14.) I do not think Fuller's *eucalypti* belongs to *perniciosus*. Mr. Fuller kindly sent me two slides of it, but on these are apparently three different things; the one which I suppose to be *eucalypti* is immature.

Poliaspis, Mask.

- (*Maskelliella*, *Leon.*)
 1054. *pini*, *Mask.*
 1055. *nitens*, *Full.*
 1056. *intermedia*, *Full.*

Fiorinia, Targ.

757. *fioriniae*, *Targ.*
s. palmae, *Green.*
s. pinicola, *Mask.*
v. minor, *Mask.*
 755. *acaciae*, *Mask.*
v. bilobis, *Full.*
 757. *rubra*, *Mask.*
v. propinquua, *Mask.*
 1057. *casuarinæ*, *Mask.*
 1058. *signata*, *Mask.*
 1059. *tenuis*, *Mask.*
 1060. *similis*, *Green.*
 1061. *bambusæ*, *Mask.*
 1062. *nephelii*, *Mask.*

Ischnaspis, Dougl.

680. *longirostris*, *Sign.*
s. filiformis, *Dougl.* (752.)

Leucaspis, Sign.

1063. *japonica*, *Ckll.*

Parlatoria, Sign.

1064. *affinis*, *Newst.*
 666. *theæ*, *Ckll.*
v. euonymi, *Ckll.*
 668. *proteus*, *Curt.*
s. orbicularis, *Targ.*
v. pergandei, *Comst.* (667.)
v. virescens, *Mask.*
v. palmæ, *Mask.*
 1065. *cingala*, *Green.*
 1066. *mytilaspiformis*, *Green.*
 1067. *aonidiformis*, *Green.*
 1068. *sinensis*, *Mask.*
 1069. *perpusilla*, *Mask.*
 1070. *viridis*, *Full.*

1071. *dryandriæ*, *Full.*

Pseudoparlatoria, Ckll.

1072. *noacki*, *Ckll.*
 1073. *serrulata*, *Towns.* & *Ckll.*

Mytilaspis, Sign.⁽¹⁵⁾

675. *pomorum*, *Bouché.*
v. saliceti, *Bouché.*
 1124. *confusus*, *Horvath.*
s. abietis, *Sign. nec Schr.*
 1074. *ceratoniæ*, *Genn.*
 1075. *minima*, *Newst.*
 1076. *ampelodesmæ*, *Newst.*
 1077. *serrifrons*, *Leon.*
 1078. *machili*, *Mask.*
 676. *crawii*, *Ckll.*
v. canaliculata, *Mask.*
 678. *citricola*, *Pack.*
v. tasmaniæ, *Mask.*
 1079. *perlonga*, *Ckll.*
 1080. *mexicana*, *Ckll.*
 1081. *argentata*, *Ckll.*
 1082. *bambusicola*, *Ckll.*
 1083. *cocculi*, *Green.*
 685. *pallida*, *Green.*
v. maskelli, *Ckll.*
 689. *pallens*, *Mask.*
v. alba, *Mask.*
 692. *spinifera*, *Mask.*
v. major, *Mask.*
 1084. *acaciæ*, *Mask.*
v. albida, *Mask.*
 1085. *banksiæ*, *Mask.*
 1086. *melaleucae*, *Mask.*
 1087. *maideni*, *Mask.*
 1088. *defecta*, *Mask.*
v. tineta, *Mask.*

Pinnaspis, Ckll.

705. *pandani*, *Comst.*
v. alba, *Ckll.*

Hemichionaspis, Ckll.

718. *aspidistræ*, *Sign.*

(15) Leonardi has separated from *Mytilaspis* groups which he treats as genera, named *Phantomytillus*, *Coccoomytilus* and *Trichomytilus*. I have proposed the subg. *Opuntiaspis* for *M. philococcus*.

v. brasiliensis, *Sign.* (720.)

v. theæ, *Mask.* (734.)

v. lata, *Ckll.* (716.)

722. *minor*, *Mask.*

Chionaspis, *Sign.*⁽¹⁶⁾

712. *salicis*, *Linn.*⁽¹⁷⁾

s. alni, *Sign.* (708.)

s. fraxini, *Sign.* (713.)

1089. *striata*, *Newst.*

1090. *berlesii*, *Leon.*

1091. *querœus*, *Comst.*

1092. *caryæ*, *Cooley.*

1125. *platani*, *Cooley.*

725. *furfurus*, *Fitch.*

v. ulmi, *Ckll.*

v. fulva, *King.*

726. *salicis-nigrae*, *Walsh.*

s. brunneri, *Ckll.*⁽¹⁸⁾

728. *pinifoliae*, *Fitch.*

v. heterophyllæ, *Cooley.*

v. semianrea, *Ckll.*

730. *spartinæ*, *Comst.*

v. natalensis, *Mask.*

731. *lintneri*, *Comst.*

v. betulæ, *Cooley.*

733. *prunicola*, *Mask.*⁽¹⁹⁾

v. theæ, *Mask.*

1093. *agonis*, *Full.*

1094. *ethelæ*, *Full.*

1095. *xanthorrhææ*, *Full.*

1096. *saccharifolii*, *Zehntner.*

1097. *depressa*, *Zehntner.*

1098. *howardi*, *Cooley.*

1099. *lounsburyi*, *Cooley.*

1100. *simplex*, *Green.*

1101. *chinensis*, *Ckll.*

1102. *latissima*, *Ckll.*

1103. *aucubæ*, *Cooley.*

1104. *wistariae*, *Cooley.*

1105. *cockerelli*, *Cooley.*

Aulacaspis, *Ckll.*

658. *roseæ*, *Bouché.*

v. spinosa, *Mask.*

659. *boisduvalii*, *Sign.*

v. maculata, *Ckll.*

1106. *montana*, *Ckll.*

1107. *miranda*, *Ckll.*

1108. ? *elegans*, *Leon.*

Diaspis, *Costa.*

1109. *gennadii*, *Leon.*

1110. *oleæ*, *Colvée.*

651. *amygdali*, *Tryon.*

v. rubra, *Mask.*

1111. *persimilis*, *Ckll.*

1112. *baccharidis*, *Towns.* & *Ckll.*

1113. *phoradendri*, *Ckll.*

1114. *crawili*, *Ckll.*

1115. *fagraæ*, *Green.*

1116. *loranthi*, *Green.*

s. g. Epidiaspis, *Ckll.*

1117. *piricola*, *Del Guercio.*

s. fallax, *Horvath.*

1118. *snowii*, *Hunter.*⁽²⁰⁾

Howardia, *Berl.* & *Leon.*

719. *biplavis*, *Comst.*

Protodiaspis, *Ckll.*

1119. *parvulus*, *Ckll.*

(16.) *Phenacaspis*, Cooley and Ckll., will be a new genus to include *P. nysse*, *chinensis*, *eugenice*, etc., hitherto placed in *Chionaspis*. Mr. Cooley and the present writer agree that these forms have no generic relationship with genuine *Chionaspis* except through *Anducaspis* and *Diaspis*. I leave Mr. Cooley to publish the generic characters and classify the species.

(17.) Mr. Cooley is responsible for the synonymy.

(18.) According to Mr. Cooley.

(19.) Mr. Cooley finds that specimens of *C. prunicola* from Mr. Maskell are *Diaspis amygdali*. It is just possible that Maskell accidentally mixed the *Diaspis* with a genuine *Chionaspis*, however, and that *prunicola* may still be valid.

(20.) This could very well pass for *Aspidiotus aenatus*, did it not have a *Diaspis* male scale! *D. piricola*, in Europe, was long confounded with *Aspidiotus ostreiformis*.